

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computer-implemented method ~~program~~ executed on one or more processors, comprising:

~~an input module for receiving images in a first plurality of different image file formats from a first plurality of different media, and further receiving a plurality of user-generated service requests;~~

~~a first conversion module for converting a the received images, thereby creating converted image files that correspond to in one of the first plurality of different image file formats into a common image file format;~~

~~a processing module for carrying out image processing on the received images in converted image files corresponding to the common image file format based on at least one corresponding user-generated service request;~~

~~a second conversion module for converting the processed image in the common image file format into at least files, thereby creating output image files, each of which corresponds~~

to one of a second plurality of different image file formats;
and

~~an output module for outputting the output image files in~~
~~at least one of the second plurality of different image file~~
~~formats~~ to at least one of a second plurality of different
media.

2. (Currently Amended) The computer-implemented method program
of claim 1, wherein the first plurality of different image file
formats include at least one of: FPX (1Base), FPX (4Base), JPG,
Exif-JPG, Exif-TIFF, TIFF, BMP, COS order file, FUJI-DPC order
file, Fuji order file specification, GIF, Digital Print Order
Format (DPOF), PhotoCD, and PICT.

3. (Currently Amended) The computer-implemented method program
of claim 1, wherein the first plurality of different media
include at least one of: CD-R (CD-R74 with CD-ID bar-code),
Floppy Disk (FD) (1.44MB with DOS and Mac standard format), PC
card, Smart Media, Compact Flash, Zip Drive (100MB and 250 MB
with DOS/Windows and Mac standard), Jaz Drive (1GB and 2GB), and
HiFD (200MB Floppy Disk).

4. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, wherein the image processing-~~performed by said processing module~~, when executed, includes at least one of: color correcting selected images for red, green, and blue (RGB) and density; zooming; cropping; previewing corrected images; rotating images; panning images; and automatically scanning an entire roll of film.

5. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, wherein the second plurality of different image file formats includes FPX (4base), JPG (4Base), and JPG (1Base).

6. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, wherein the second plurality of different media includes at least one of: CD-R (CD-R74), FD (1.44MB with DOS/Windows), Zip Drive (100MB and 250MB with DOS/Windows), and Jaz Drive (1GB and 2GB).

7. (Currently Amended) The one or more computer-readable media ~~program~~ of claim 1, wherein the instructions of said input module, when executed, receives the plurality of user-generated service requests via a plurality of screen displays.

8. (Currently Amended) The computer-implemented method ~~program~~ of claim 7, wherein the plurality of screen displays includes at least one of a new order, order list, image display, customer information, and administration screen display.

9. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, wherein the user is network connected to a system ~~running-performing~~ said computer-implemented method ~~program~~.

10. (Currently Amended) The one or more computer-readable media ~~program~~ of claim 9, wherein the user is remotely connected via a remote kiosk, image center, and/or remote terminal.

11. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, wherein copies of at least one of the received images, converted image files, processed image files, and output image files are stored by said computer-implemented method ~~program~~, ~~when-executed~~ performed.

12. (Currently Amended) The computer-implemented method ~~program~~ of claim 1, further ~~configured to include-comprising~~:

including the image in combination with a service request in an order file.

13. (Currently Amended) A computer-readable medium having embodied thereon a computer program for processing by a computer, wherein the computer program includes computer-readable code means for:

receiving images in a first plurality of different image file formats from a first plurality of different media, and further receiving a plurality of user-generated requests;

converting ~~a—the~~ received images, thereby creating converted image files that correspond to ~~in one of the first plurality of different image file formats into~~ a common image file format;

carrying out image processing on the ~~received images in converted image files corresponding to~~ the common image file format based on at least one corresponding user-generated service request;

converting the processed image ~~in the common image file format into at least~~ files, thereby creating output image files, each of which corresponds to one of a second plurality of different image file formats; and

outputting the output image files ~~in at least one of the second plurality of different image file formats to~~ at least one of a second plurality of different media.

14. (Previously Presented) The computer-readable medium of claim 13, wherein the computer-readable medium is a propagated signal.

15. (Currently Amended) A method comprising:

inputting an image in a first image file format, and a service request;

converting the input image, thereby creating a converted image file that corresponds to~~into~~ a common image file format;

executing image processing on the converted image ~~in a file corresponding to the common image file format based on the user-generated input service request~~;

converting the processed image ~~in the common image file,~~ thereby creating an output image file that corresponds ~~format~~ to a second image format, the second image file format being chosen from a plurality of image file formats based on the ~~user-generated input service request~~; and

outputting the ~~image in the second~~ output image file format in a medium chosen from a plurality of media based on the input service request.

16. (Previously Presented) The method of claim 15, wherein the inputting step is operable to input an image in any of a

plurality of image file formats, the plurality of image formats including at least one of: FPX, JPG, Exif-JPG, Exif-TIFF, TIFF, BMP, COS order file, FUJI-DPC order file, Fuji order file specification, GIF, Digital Printer Order Format (DPOF), PhotoCD, and PICT.

17. (Previously Presented) The method of claim 15, wherein the plurality of image file formats from which the second file format is chosen includes at least one of: FPX (4Base), JPG (4Base), and JPG (1Base).

18. (Previously Presented) The method of claim 15, wherein the executing image processing step includes executing one or more of the following functions: correcting color red-green-blue (RGB) values; correcting color density; zooming; cropping; rotating an image; panning an image; automatically scanning a roll of film; and previewing a corrected image.

19. (Previously Presented) The method of claim 18, further comprising:

choosing the functions to be executed by the image processing step based on the input service request.

20. (Currently amended) The method of claim 15, wherein the inputting step inputs the ~~image file and service request~~ as part of an order file.

21. (Previously Presented) The method of claim 15, wherein the inputting step inputs the image and service request via a network to a system, which is configured to perform at least one of the converting steps, the executing image processing step, and the outputting step.

22. (Previously Presented) The method of claim 21, wherein the inputting step inputs the image and service request via the network using at least one of a kiosk, image center, and terminal.

23. (Currently Amended) The method of claim 15, wherein the inputting step includes,

~~combining the image and service request into generating an~~
a text order file that includes the service request and
identifies an image to be processed according to the service
request; and

inputting the order file with the identified image.

24. (Currently Amended) A kiosk comprising:

one or more image input devices for inputting one or more images;

a service request input device for inputting one or more service requests corresponding to the one or more images;

a first processing device for creating ~~an~~ a text order file based on the one or more images and the corresponding one or more service requests, and sending the one or more images and the order file to a second processing device,

wherein the text order file indicates to the second processing device one or more types of image processing to be performed on each of the one or more images by the second processing device to satisfy the corresponding one or more service requests.

25. (Previously Presented) The kiosk of claim 24, further comprising:

one or more output devices for outputting the one or more images after the second processing device has performed image processing on the one or more images.

26. (Previously Presented) The kiosk of claim 25, wherein

the one or more output devices include a plurality of output devices, each of which is associated with one or more attributes,

the service request input device allows a user to specify an output device in the one or more service requests, and

the first processing device includes in the order file, one or more attributes associated with the specified output device, thereby indicating to the second processing device to perform one or more types of image processing corresponding to the one or more attributes.

27. (Previously Presented) The kiosk of claim 26, wherein

the one or more attributes include an output image file format associated with the output device, thereby indicating to the second processing device to convert an image file format of at least one image to the output image file format.

28. (Previously Presented) The kiosk of claim 24, wherein

the service request input device allows the user to specify one of a plurality of output media in the service requests, each of the output media being associated with one or more attributes, and

the first processing device includes in the order file, the one or more attributes associated with the specified output medium, thereby indicating to the second processing device to perform one or more types of image processing corresponding to the one or more attributes.

29. (Previously Presented) The kiosk of claim 28, wherein the specified output medium is at least one of: a digital storage device, a print medium, and a network connection.

30. (Previously Presented) The kiosk of claim 29, further comprising an output device operable to output at least one of the images on the specified medium.

31. (Previously Presented) The kiosk of claim 29, wherein the first image processing device includes customer information in the order file, wherein the customer information comprises at least one of: user identifier, location identifier, transaction identifier, transaction time, price, and method of payment.

32. (Previously Presented) The kiosk of claim 31, wherein the customer information indicates an address for delivering the specified output medium.

33. (Previously Presented) The kiosk of claim 29, wherein the specified output medium is a print medium, and the attributes include at least one of: size, orientation, colors, border information, and paper type.

34. (Previously Presented) The kiosk of claim 29, wherein the specified output medium is a digital storage device, and the attributes include at least one of: image file format, image file directory, and orientation.

35. (Previously Presented) The kiosk of claim 29, wherein the performed types of image processing include at least one of: image cropping, image rotation, image panning, color density correction, and converting image file format.

36. (Previously Presented) The kiosk of claim 29, wherein
the service request input device allows the user to input a preference corresponding to the one or more attributes, and

the order file associates the preference with the one or more attributes, thereby indicating to the second processing device to perform image processing to make at least one image consistent with the preference.

37. (Previously Presented) The kiosk of claim 36, wherein the attributes include a print size, and the service request input device allows the user to input the preference by choosing from a plurality of available print sizes corresponding to the specified output medium, the chosen print size being included in the order file.

38. (Previously Presented) The kiosk of claim 24, wherein the first processing device includes a directory name in the order file, the directory name identifying a directory to be created in the second processing device, wherein the images are copied to the created directory for image processing by the second processing device.

39. (Previously Presented) The kiosk of claim 24, wherein the kiosk further comprises the second processing device, the second processing device being configured to execute image processing software.

40. (Previously Presented) The kiosk of claim 24, wherein
the second processing device, which is remote from the kiosk and configured to execute image processing software, and

the kiosk further comprises a communicative link for sending the images and order file to the second processing device.

41. (Currently Amended) A system comprising:

an input terminal for inputting one or more images and one or more service requests corresponding to the images, the ~~kiosk~~ input terminal creating an a text order file for correlating the one or more images and to the one or more service requests, respectively; and

a processing device for receiving the one or more images and the corresponding text order file, the processing device being configured to

execute image processing software that performs image processing on one or more image files, which correspond to a common image file format and represent the one or more images, based on the corresponding one or more service requests, and

convert the common image file format of the one or more processed image files, thereby creating one or more output image files corresponding to an output image file format; and

an output device for outputting the one or more ~~images in the output image files format.~~

42. (Currently Amended) The system of claim 41, wherein the executed image processing software is configured to:

receive the one or more images in a first ~~file~~ image file format from the input terminal;

convert the one or more images from the first image file format into a the common image file format, thereby creating the one or more image files;

perform image processing on the one or more ~~images~~ image files in corresponding to the common image file format based on the one or more service requests; and

convert the one or more processed images image files into an the output image files ~~format~~ for outputting the processed one or more images.

43. (Previously Presented) The system of claim 42, wherein

the input terminal allows a customer to input a service request by choosing at least one of a type of output media and a type of output device for outputting the images, the input terminal including in the order file an attribute associated with the customer's choice, and

the executed image processing software executes image processing corresponding to the attribute.

44. (Currently Amended) The system of claim ~~41~~ 43, wherein the included attribute identifies at least one of: output image file format, size, orientation, color information, border information, and print paper type.

45. (Previously Presented) The system of claim 41, wherein the order file identifies a name of a directory into which the processing device stores the images and order file received from the input terminal.

46. (Previously Presented) The system of claim 41, wherein the input terminal is a kiosk, which is remote from the processing device.

47. (Previously Presented) The system of claim 46, further comprising a network for communicatively linking the kiosk and the processing device.